Padagis Naloxone®

KEY CONSIDERATIONS



TIMELY ACCESS AND ADMINISTRATION OF PADAGIS NALOXONE

In an opioid emergency, brain damage can begin within 4 minutes of breathing cessation, with death potentially following in another 4 to 6 minutes. Quick access and administration of Naloxone HCl Nasal Spray is crucial in these critical moments.

ANSI/ISEA GUIDANCE

ANSI/ISEA Z308.1-2026 workplace first aid standard includes naloxone as a recommended supplemental item for all workplaces. Employers should consider stocking naloxone for emergency response.

WORKPLACE PREPAREDNESS

Including Naloxone in first aid supplies helps organizations prepare for a broader range of medical emergencies, similar to AEDs, choking, and CPR equipment. For employers who promote mental health or employee assistance programs, Naloxone can reinforce those efforts.

REPORTING USE OF PADAGIS NALOXONE NASAL SPRAY

Non-prescription medications are not required to be logged by OSHA and are classified as first aid. However, it may need to be recorded if administered alongside other factors for documenting injuries or illnesses, such as when a worker loses consciousness.

PROTECTION BEYOND EMPLOYEES

Worksites frequently interact with contractors, vendors, delivery personnel, and members of the public who may experience a medical emergency on company property. Carrying Naloxone reflects a forward-thinking approach to workplace health and safety planning.

FOR OPIOID EMERGENCIES, CALL 911

For questions on Padagis Naloxone HCl Nasal Spray, call 866-506-1289

Padagis Naloxone® and PADAGIS are registered trademarks of Padagis US LLC.